

RAM ULTRASCHALL-LUFTBEFEUCHTER – 13-L-TANK

Datum	19.12.2018
Produktname	RAM Ultraschall-Luftbefeuchter – 13-Liter-Tank
Produktcode(s)	110129 – RAM Ultraschall-Luftbefeuchter – 13-Liter-Tank – EU-Stecker
Slogan (falls zutreffend)	N / A
Produktbeschreibung	Der Ram Ultraschall-Luftbefeuchter fügt Ihrer Wachstums Umgebung einen feinen Wassernebel hinzu und erhöht so die Luftfeuchtigkeit. Es verfügt über einen 13-Liter-Tank und eine einstellbare Leistungsregelung. Der Ram Ultraschall-Luftbefeuchter kann zusammen mit einem Hygrostat-Controller verwendet werden.
USPs	Hohe Kapazität: 1100 ml pro Stunde Diffusion Größter Tank auf dem Markt 5 Ausgänge für gleichmäßige Verteilung Die automatische Abschaltung verhindert Schäden, wenn Ihr Reservoir leer wird

Bedienungsanleitung

Vertriebsstrategie / Aktionsplan	TBC
FAQ	Kann es an das Leitungswasser angeschlossen werden? NEIN. Kann es mit Leitungswasser verwendet werden? Technisch gesehen ja, aber die Effizienz des Geräts nimmt mit der Zeit ab, da sich mineralische Verunreinigungen im Wasser auf den Keramikscheiben ansammeln können. Wird es mit einem Luftfeuchtigkeitsregler gesteuert? Nein, Sie können die Menge des austretenden Nebels einstellen, aber Sie können das Gerät nicht auf eine Umgebungsfeuchtigkeit einstellen.
Gebrauchsanweisung	BEDIENUNGSANLEITUNGEN: Wasser hinzufügen: Bitte fügen Sie Wasser hinzu, wenn der Strom ausgeschaltet ist. 1. Drehen Sie den Wassertank um und drehen Sie dann den Deckel gegen den Uhrzeigersinn, um ihn zu öffnen. 2. Mit kaltem Leitungswasser auffüllen. VERWENDEN SIE KEIN HEISSES WASSER ODER EISWASSER. 3. Setzen Sie den Einfülldeckel wieder auf, indem Sie ihn im Uhrzeigersinn drehen – nicht zu fest anziehen. Stellen Sie sicher, dass im Wassertank kein Wasser austritt. Seien Sie beim Tragen des Wassertanks äußerst vorsichtig, da er schwer sein kann.

	4. Platzieren Sie den Wassertank wieder auf der Basis und achten Sie darauf, dass der Tank korrekt mit der Basis ausgerichtet ist. Befeuchtung: 1. Schließen Sie das Gerät an die Stromquelle an und drehen Sie den Drehregler im Uhrzeigersinn (drehen Sie weiter, bis das „Klicken“ erreicht ist), um das Gerät einzuschalten. 2. Um die Nebelintensität anzupassen, drehen Sie den Drehregler im Uhrzeigersinn, um ihn zu erhöhen, und gegen den Uhrzeigersinn, um ihn zu verringern.												
Die Wissenschaft hinter der Technologie	Dabei werden Keramikscheiben verwendet, um mit Ultraschall Nebel zu erzeugen. Ultraschall-Nebelgeräte erzeugen sehr feinen Nebel. Ultraschall-Nebelmaschinen laufen cool mit einer Leistung von bis zu 1 Liter pro Stunde. Eine erhöhte Luftfeuchtigkeit ist für Pflanzen besonders bei Temperaturanstiegen in ihrer Umgebung von Vorteil. Sehr einfach zu installieren Erhöht den Feuchtigkeitsgehalt im Anbaubereich Beschleunigt das Pflanzenwachstum Reinigt die Luft in Ihrem Wachstumsraum Reduziert statische Elektrizität												
Technische Spezifikationen	<table><tr><td></td><td>RAM-Luftbefeuchter – 13-l-Tank</td></tr><tr><td>Fassungsvermögen des Wassertanks</td><td>13L</td></tr><tr><td>Bewerten Sie die Leistung</td><td>85W</td></tr><tr><td>Bewertete Verdunstung</td><td>1100 ml/h</td></tr><tr><td>Nennfrequenz</td><td>50-60Hz</td></tr><tr><td>Lärm</td><td>≤35dB(A)</td></tr></table>		RAM-Luftbefeuchter – 13-l-Tank	Fassungsvermögen des Wassertanks	13L	Bewerten Sie die Leistung	85W	Bewertete Verdunstung	1100 ml/h	Nennfrequenz	50-60Hz	Lärm	≤35dB(A)
	RAM-Luftbefeuchter – 13-l-Tank												
Fassungsvermögen des Wassertanks	13L												
Bewerten Sie die Leistung	85W												
Bewertete Verdunstung	1100 ml/h												
Nennfrequenz	50-60Hz												
Lärm	≤35dB(A)												
Marktanalyse (Konkurrenz)	Es gibt viele Luftbefeuchter auf dem Markt, aber keiner hat die gleichen Spezifikationen wie wir. Dieses Gerät ist das größte, das Sie ohne zusätzlichen Wasseranschluss bekommen können. Es verfügt außerdem über eine hohe Ausstoßrate.												
Pitch/Kommentar des Vertriebsteams	N / A												

Sicherheit

IMPORTANT SAFETY INSTRUCTIONS

-  **Warning:** This warning sign alert users that this operation may cause dangerous voltage or injury to persons.
-  **Notice:** This notice sign reminds users that this operation is important operation or repair instruction.
-  This product is intended for household use ONLY, not for commercial, industrial or outdoor use.
 -  Please do not use a humidifier with damaged power cord or plug, and do not change it by yourself. Damaged one have to be repaired by appointed maintenance department.
 -  Please do not adding any additives into the base or water tank of humidifier.
 -  Please keep humidifier out of reach of children.
 -  Please do not dismantle the base of humidifier to repair or debug. Any alterations, refits or unrecommended attachments use, may cause inconvenience and harm.
 -  Please power off and unplug the humidifier immediately if any abnormal noise or peculiar smell.
 -  Please unplug humidifier when not in use.
 -  To protect against electric shock, do not immerse unit, plug or cord in water or other liquids. Please do not touch humidifier parts in base or in water by any part of body during working time.
 -  Please do not turn on humidifier without any water in base. Always have water in water tank when operating the unit. Do not tilt or tip the unit or attempt to empty or fill while in operation.
 -  Please do not scratch the atomizer by hard objects.
 -  Please do not use unrecommended cleanser to clean the humidifier base and atomizer.
 -  Please be careful to avoid the water flow or splash into the base, for fear of any damages.
 -  Suggested to adjust low mist when too low temperature or too high humidity in room, cause of mist incomplete diffusion.
 -  Please do not place humidifier in the excessive moisture environment like bathroom.
 -  Please do not place humidifier on the wood flooring or bamboo flooring or similar flooring.
 -  For normal working and avoiding any unnecessary accidents, please pay attention to the humidifier place environment:
 - Place the humidifier on a flat and stable place, to avoid tilt, or water will flow out.
 - Keep humidifier far away from the environment that too cold or too hot.
 - Keep humidifier far away from furniture, electronics. Mist will cause excessive moisture or "white powder".

Wartung

CLEANING OF WATER TANK & MAINTAINENCE

1. Turn off power and unplug unit before cleaning.
2. Never use a detergent or any cleaning chemicals to clean the tank or base. Detergent dissolved in the water supply can interfere with the mist output.
3. If water tank is extremely dirty, soak with a mild bleach and water solution and rinse clean. Never use detergent.
4. Wipe the exterior of the body with a damp cloth.
5. Never immerse the base in water or let water enter the air outlet or other openings.
6. Clean and rinse the water tank and mist nozzle with lukewarm water frequently to avoid mineral build up, especially during the heating season.
7. Keep the nebulizer and water sensor free of mineral deposits. Remove water tank and empty the reservoir. Clean the nebulizer and sensor with a soft brush (old tooth brush). Do not scrape the nebulizer or water sensor. Do not clean with tools that have metal parts.
8. Leaving water to sit in the tank for more than a couple days may cause bacterial growth. Always empty the tank if not planning to use for a few days.

STORAGE

1. Save the box for off-season storage.
2. Clean the tank, base and all parts thoroughly and dry completely before storage.
3. If water is left in the unit during storage, it may harden and leave deposits that may affect the unit from operating properly.
4. Do not put anything on top of the unit during storage, to prevent any damage to it.

GENERAL TROUBLESHOOTING AND SOLUTIONS

Symptoms	Reason analysis	Solutions
No wind nor mist	The plug is not connected properly	Insert the plug correctly
	The power is off	Turn on the power
	No water or little water in the tank	Fill with enough water
Abnormal smell	New machine	Open the water tank and leave open in a cool and well ventilated area for 12 hours
	Water is not clean or has been in the machine for a long time	Clean the tank and fill it with clean water
Abnormal sound	Water tank is inserted incorrectly	Adjust the water tank correctly
	Resonance caused by little water in the tank	Fill enough water
Mist going around the mist spray mouth	Resonance caused by unsteady table	Put the appliance on steady table

Garantie

Wenn das Gerät eine Fehlfunktion aufweist, heruntergefallen ist oder beschädigt wurde, schalten Sie das Gerät aus und prüfen Sie, ob das Netzkabel oder der Stecker beschädigt ist. Betreiben Sie das Gerät nicht, wenn Schäden aufgetreten sind. Nehmen Sie das Gerät nicht auseinander und verändern Sie es nicht in irgendeiner Weise, da dies

	zum Erlöschen Ihrer Garantie führt und zu weiteren Schäden am Gerät oder Personenschäden führen kann. Wenn Sie ein fehlerhaftes Produkt zurücksenden, stellen Sie bitte sicher, dass das komplette Gerät zusammen mit dem Kaufbeleg an Ihren Händler zurückgegeben wird (ohne Kaufbeleg erlischt die Garantie). Bitte notieren Sie sich zu Ihrer Bequemlichkeit unbedingt Ihr Kaufdatum, den Namen des Händlers, die Modellnummer und das Herstellungsdatum.
Prüfungen (vorher und nachher)	Wir haben den Prototyp den ganzen Herbst über im Produktentwicklungsgewächshaus laufen lassen.
Markt-Feedback (Testimonials)	N / A
Quellen	https://www.onestopgrowshop.co.uk/products/the-pure-factory-intelligent-humidifier?taxon_id=62 http://www.nutriculture.co.uk/smartgro-ultrasonic-humidifier.html